Top Rated References

Citations are hyperlinked, and those recommended by multiple attendees are marked with asterisks.

1. C. D. Rahn, C-Y Wang. Battery Systems Engineering. Wiley, 2013. ISBN: 978-1-1185-1703-1
2. C. Danielson, F. Borrelli, D. Oliver, D. Anderson, M. Kuang, T. Phillips; “Balancing of battery networks via constrained optimal control,” American Control Conference (ACC), 2012 , Page(s): 4293 – 4298.
3. B. Kenney, K. Darcovich, D. D. MacNeil, I. J. Davidson; “Modelling the impact of variations in electrode manufacturing on lithium-ion battery modules,” Journal of Power Sources, Volume 213, 1 September 2012, Pages 391–401. doi:10.1016/j.jpowsour.2012.03.065
4. J. Christophersen, et al; “Rapid Impedance Spectrum Measurements for State-of-Health Assessment of Energy Storage Devices," SAE Int. J. Passeng. Cars-Electron. Electr. Syst 5.1 (2012): 246-256.
5. G-H Kim, K. Smith, J. Ireland, A. Pesaran; “Fail-safe design for large capacity lithium-ion battery systems,” Journal of Power Sources, Volume 210, 15 July 2012, Pages 243–253. doi:10.1016/j.jpowsour.2012.03.015
6. J. Moura, N. A. Chaturvedi, M. Krstic; “Adaptive PDE Observer for Battery SOC/SOH Estimation,” ASME Dynamic Systems and Control Conference, Ft. Lauderdale, FL, 2012.
7. J. L. Lee, A. Chemistruck, G. L. Plett; “Discrete-time realization of transcendental impedance models, with application to modeling spherical solid diffusion,” Journal of Power Sources, Volume 206, 15 May 2012, Pages 367–377. doi:10.1016/j.jpowsour.2012.01.134
8. *K. Smith, M. Earleywine, E. Wood, A. Pesaran; “Battery wear from disparate duty-cycles: Opportunities for battery health management,” Amer. Control Conf., 2012.
9. P. Roth, C. Oredorff; "How Electrolytes Influence Battery Safety" , The Electrochemical Society Interface, Summer 2012.
10. R. D. Perkins, A. V. Randall, X. Zhang, G. L. Plett; “Controls oriented reduced order modeling of lithium deposition on overcharge,” Journal of Power Sources, Volume 209, 1 July 2012, Pages 318–325. doi:10.1016/j.jpowsour.2012.03.003
11. Ahmad Pesaran, et. al. "Battery Thermal Modeling and Testing,” Presentation 2011.
12. "Buried-Anode: Technology Leads to Advanced Lithium Batteries.” National Renewable Energy Laboratory. 2011.
13. A. J. Smith, J. C. Burns, and J. R. Dahn; “High-Precision Differential Capacity Analysis of LiMn2O4/graphite Cells,” Electrochem. Solid-State Lett. 2011 14(4): A39-A41. doi:10.1149/1.3543569
14. A. J. Smith, J. C. Burns, D. Xiong, and J. R. Dahn; “Interpreting High Precision Coulometry Results on Li-ion Cells,” J. Electrochem. Soc. 2011 158(10): A1136-A1142. doi:10.1149/1.3625232
15. A. Kraytsberg, Y. Ein-Eli; “Review on Li–air batteries—Opportunities, limitations and perspective,” Journal of Power Sources, Volume 196, Issue 3, 1 February 2011, Pages 886–893. doi:10.1016/j.jpowsour.2010.09.031
16. Braudaway, D.W; “Behavior of resistors and shunts: with today's high-precision measurement capability and a century of materials experience, what can go wrong?” Instrumentation and Measurement, IEEE Transactions on Volume: 48, Issue: 5, 1999 , Page(s): 889 – 893. doi: 10.1109/19.799641
17. C. Mi, M. A. Masrur, D. W. Gao. Hybrid Electric Vehicles: Principles and Applications with Practical Perspectives. Wiley, 2011. ISBN: 978-0-470-74773-5
18. F. Xu, H. He, Y. Liu, C. Dun, Y. Ren, Q. Liu, M-X Wang, and J Xie; “Failure Investigation of LiFePO4 Cells under Overcharge Conditions,” J. Electrochem. Soc. 2012 159(5): A678-A687. doi:10.1149/2.024206jes
19. J. Wang, P. Liu, J. Hicks-Garner, E. Sherman, S. Soukiazian, M. Verbrugge, H. Tataria, J. Musser, P. Finamore; “Cycle-life model for graphite-LiFePO4 cells,” Journal of Power Sources, Volume 196, Issue 8, 15 April 2011, Pages 3942–3948. doi.org/10.1016/j.jpowsour.2010.11.134

20. K. Smith, M. Earleywine, E. Wood, A. Pesaran; “Comparison of Battery Life Across Real-World Automotive Duty-Cycles Presentation Source,” Presented at 7th Lithium Battery Power Conference, Las Vegas, NV; November 7-8, 2011.

21. *Klein M., “Viewing the battery management system through many lenses,” PHM BMS Workshop, 2011

22. K-J Lee, K. Smith, G-H Kim; “A Three-Dimensional Thermal-Electrochemical Coupled Model for Spirally Wound Large-Format Lithium-Ion Batteries,” Presented at Space Power Workshop; Los Angeles, CA; April 18, 2011.

23. M Salman, X Tang, X Mao "Li-ion State Estimation and Prognosis," PHM Conference, Montreal, 2011.

24. P. W. C. Northrop, V. Ramadesigan, S. De, and V. R. Subramanian; “Coordinate Transformation, Orthogonal Collocation, Model Reformulation and Simulation of Electrochemical-Thermal Behavior of Lithium-Ion Battery Stacks,” J. Electrochem. Soc. 2011 158(12): A1461-A1477. doi:10.1149/2.058112jes

25. *T. M. Bandhauer, S. Garimella, and T. F. Fuller; “A Critical Review of Thermal Issues in Lithium-Ion Batteries,” J. Electrochem. Soc. 2011 158(3): R1-R25. doi:10.1149/1.3515880

26. U. S. Kim, J. Yi, C. B. Shin, T. Han, and S. Park; “Modeling the Dependence of the Discharge Behavior of a Lithium-Ion Battery on the Environmental Temperature,” J. Electrochem. Soc. 2011 158(5): A611-A618. doi:10.1149/1.3565179

27. X. Zhang and C. Mi. Vehicle Power Management. Springer, 2011. ISBN 978-0-85729-736-5

28. A. J. Smith, J. C. Burns, and J. R. Dahn; “A High Precision Study of the Coulombic Efficiency of Li-Ion Batteries,” Electrochem. Solid-State Lett. 2010 13(12): A177-A179. doi:10.1149/1.3487637

29. *A. J. Smith, J. C. Burns, S. Trussler, and J. R. Dahn; “Precision Measurements of the Coulombic Efficiency of Lithium-Ion Batteries and of Electrode Materials for Lithium-Ion Batteries,” J. Electrochem. Soc. 2010 157(2): A196-A202. doi:10.1149/1.3268129

30. B. Scrosati, J. Garche; “Lithium batteries: Status, prospects and future,” Journal of Power Sources, Volume 195, Issue 9, 1 May 2010, Pages 2419–2430. doi.org/10.1016/j.jpowsour.2009.11.048

31. *Cao-Paz A.M., et al., “A multi-point sensor based on optical fiber for the measurement of electrolyte density in lead-acid batteries,” Sensors, v. 10,2587-2608, 2010.

32. *Chaturvedi, N.A.; Klein, R.; Christensen, J.; Ahmed, J.; Kojic, A.; "Algorithms for Advanced Battery-Management Systems," Control Systems, IEEE , vol.30, no.3, pp.49-68, June 2010.

33. D. Andrea. Battery Management system for large Li Ion battery packs. Artech House, 2010. ISBN 1608071049

34. Liu, P., J. Wang, J. Hicks-Garner, E. Sherman, S. Soukiazian, M. Verbrugge, H. Tataria, J. Musser and P. Finamore "Aging Mechanisms of LiFePO4 Batteries Deduced by Electrochemical and Structural Analyses," Journal of the Electrochemical Society,2010, Vol. 157(4), pp. A499-A507.

35. Smith, K.A.; Rahn, C.D.; Chao-Yang Wang; “Model-Based Electrochemical Estimation and Constraint Management for Pulse Operation of Lithium Ion Batteries,” Control Systems Technology, IEEE Transactions on Signal Processing & Analysis Volume: 18 , Issue: 3, 2010 , Pages: 654 – 663. doi: 10.1109/TCST.2009.2027023

36. *Smith, K. A; “Electrochemical control of lithium-ion batteries [applications of control]." Control Systems, IEEE 30.2 (2010): 18-25.

37. *S. J. Harris, A. Timmons, D. R. Baker, C. Monroe; “Direct in situ measurements of Li transport in Li-ion battery negative electrodes,” Chemical Physics Letters, Volume 485, Issues 4–6, 26 January 2010, Pages 265–274. doi:10.1016/j.cplett.2009.12.033

38. *T. D. Hund and D. Ingersoll; “Polymer Li-ion Battery.” SANDIA REPORT SAND2010-4862 July 2010.

39. T. Reddy, D. Linden. Handbook of Batteriers. McGraw-Hill 4th ed., 2010.

40. *Y. Qi and S. J. Harris; “In Situ Observation of Strains during Lithiation of a Graphite Electrode.” J. Electrochem. Soc. 2010 157(6): A741-A747. doi:10.1149/1.3377130

41. K. Smith "Modeling of Nonuniform Degradation in Large-Format Li-ion Batteries," presented at the Advanced Automotive Battery and EC Capacitor Conference, June 8-12, 2009, Long Beach, CA.

42. M. Muratori, “Thermal Characterization of Lithium-ion Battery cell”, Ph.D. thesis, Politecnico di Milano, 2009.

43. U. S. Kim, C. B. Shin, C-S Kim; “Modeling for the scale-up of a lithium-ion polymer battery,” Journal of Power Sources, Volume 189, Issue 1, 1 April 2009, Pages 841–846. doi:10.1016/j.jpowsour.2008.10.019

44. V. R. Subramanian, V. Boovaragavan, V. Ramadesigan, and M. Arabandi “Mathematical Model Reformulation for Lithium-Ion Battery Simulations: Galvanostatic Boundary Conditions,” J. Electrochem. Soc. 2009 156(4): A260-A271. doi:10.1149/1.3065083

45. Pop, V., Bergveld, H.J., Danilov, D., Regtien, P.P.L., Notten, P.H.L; “Accurate State-of-Charge Indication for Battery-Powered Applications,” Vol. 9, 2008, XX, page 224.

46. *Ecke, W., “Applications of fiber Bragg grating sensors,” Proc. SPIE (OFS XIX), v. 7004, 2008.

47. M. Armand and J.-M. Tarascon; “Building better batteries,” Nature 451, 7 February 2008, 652-657. doi:10.1038/451652a

48. X. Wang, Y. Sone, G. Segami, H. Naito, C. Yamada, and K. Kibe; “Understanding Volume Change in Lithium-Ion Cells during Charging and Discharging Using In Situ Measurements,” J. Electrochem. Soc. 2007 154(1): A14-A21. doi:10.1149/1.2386933

49. *K. A. Smith, C. D. Rahn, C-Y Wang; “Control oriented 1D electrochemical model of lithium ion battery,” Energy Conversion and Management, Volume 48, Issue 9, September 2007, Pages 2565–2578. doi:10.1016/j.enconman.2007.03.015

50. A. M. Stephan, K.S. Nahm; “Review on composite polymer electrolytes for lithium batteries,” Polymer, Volume 47, Issue 16, 26 July 2006, Pages 5952–5964. doi:10.1016/j.polymer.2006.05.069

51. M. Verbrugge and B. Koch; “Generalized Recursive Algorithm for Adaptive Multiparameter Regression: Application to Lead Acid, Nickel Metal Hydride, and Lithium-Ion Batteries,” J. Electrochem. Soc. 2006 153(1): A187-A201. doi:10.1149/1.2128096

52. K. Smith, C-YWang; “Power and thermal characterization of a lithium-ion battery pack for hybrid-electric vehicles,” Journal of Power Sources, Volume 160, Issue 1, 29 September 2006, Pages 662–673. doi:10.1016/j.jpowsour.2006.01.038

53. Vahidi, A.; Stefanopoulou, A. ; “Current Management in a Hybrid Fuel Cell Power System: A Model Predictive Control Approach," Huei Peng Control Systems Technology, IEEE Transactions,Nov. 2006, Volume: 14 , Issue: 6, Pages 1047 – 1057.

54. *Y. Watanabe, H. Morimoto, S. Tobishima; “Electrochemical properties of aryladamantanes as new overcharge protection compounds for lithium cells,” Journal of Power Sources, Volume 154, Issue 1, 9 March 2006, Pages 246–254. doi:10.1016/j.jpowsour.2005.03.221

55. K. A. Smith; “Electrochemical Modeling, Estimation and Control of Lithium Ion Batteries,” PhD dissertation, Pennsylvania State University, 2006.

56. J. Christensen and J. Newman; “Cyclable Lithium and Capacity Loss in Li-Ion Cells,”J. Electrochem. Soc. 2005 152(4): A818-A829. doi:10.1149/1.1870752

57. Guzzella, L., Sciarretta, A. Vehicle Propulsion Systems Introduction to Modeling and Optimization. 3rd ed. 2013, 2013, XII, page 276.

58. *G. L. Plett; “Extended Kalman filtering for battery management systems of LiPB-based HEV battery packs: Part 3. State and parameter estimation,” Journal of Power Sources, Volume 134, Issue 2, 12 August 2004, Pages 277–292. doi:10.1016/j.jpowsour.2004.02.033

59. Sciarretta, A., Back, M. ; Guzzella, L; “Optimal Control of Parallel Hybrid Electric Vehicles,” Control Systems Technology, IEEE Transactions, Volume: 12 , Issue: 3, May 2004,Pages: 352 – 363.

60. J. H. Lee, H. M. Lee, S. Ahn; “Battery dimensional changes occurring during charge/discharge cycles—thin rectangular lithium ion and polymer cells,” Journal of Power Sources, Volumes 119–121, 1 June 2003, Pages 833-837.

61. R. Spotnitz, J. Franklin; “Abuse behavior of high-power, lithium-ion cells,” Journal of Power Sources, Volume 113, Issue 1, 1 January 2003, Pages 81–100. doi:10.1016/S0378-7753(02)00488-3

62. V. Srinivasan and C. Y. Wang; “Analysis of Electrochemical and Thermal Behavior of Li-Ion Cells,” J. Electrochem. Soc. 2003 150(1): A98-A106. doi:10.1149/1.1526512

63. *C.Y. Wang, V. Srinivasan “Computational battery dynamics (CBD)—electrochemical/thermal coupled modeling and multi-scale modeling,” Journal of Power Sources, Volume 110, Issue 2, 22 August 2002, Pages 364–376. doi:10.1016/S0378-7753(02)00199-4

64. Dhameja, S. Electric Vehicle Battery Systems. Elsevier Inc. 2002. ISBN: 978-0-7506-9916-7

65. *K. E. Thomas and R. M. Darling; “Mathematical Modeling of Lithium Batteries,” Walter A. van Schalkwijk and Bruno Scrosati, eds., Advances in Lithium-Ion Batteries. New York: Kluwer Academic/Plenum Publishers, 2002, Pages 345-392.

66. T. J. Gorgas, R. H. Wilkens, S. S. Fu, L. N. Frazer, M. D. Richardson, K. B. Briggs, H. Lee; “In situ acoustic and laboratory ultrasonic sound speed and attenuation measured in heterogeneous soft seabed sediments: Eel River shelf, California,” Marine Geology, Volume 182, Issues 1–2, 10 April 2002, Pages 103–119. Doi:10.1016/S0025-3227(01)00230-4

67. T. Stuart, F. Fang, X. Wang, C. Ashtiani, A. Pesaran; “A Modular Battery Management System for HEVs," Presented at the SAE Future Car Congress, June 2002.

68. S. Moore and P. Schneider; “A Review of Cell Equalization Methods for Lithium Ion and Lithium Polymer Battery Systems," SAE Technical Paper 2001-01-0959, 2001. doi:10.4271/2001-01-0959.

69. *S. Piller, M. Perrin, A. Jossen; “Methods for state-of-charge determination and their applications,” Journal of Power Sources, Volume 96, Issue 1, 1 June 2001, Pages 113–120. doi:10.1016/S0378-7753(01)00560-2

70. Buchmann "Batteries in a portable world." Cadex Electronics Inc. 3rd Ed. 2011.

71. W. B. Gu and C. Y. Wang “Thermal-Electrochemical Modeling of Battery Systems,” J. Electrochem. Soc. 2000 147(8): 2910-2922. doi:10.1149/1.1393625

72. H. Maleki, S. A. Hallaj, J. R. Selman, R. B. Dinwiddie, and H. Wang; “Thermal Properties of Lithium-Ion Battery and Components,” J. Electrochem. Soc. 1999 146(3): 947-954. doi:10.1149/1.1391704

73. P. Arora, R. E. White, and M. Doyle; “Capacity Fade Mechanisms and Side Reactions in Lithium-Ion Batteries,” J. Electrochem. Soc. 1998 145(10): 3647-3667. doi:10.1149/1.1838857

74. C. R. Pals and J. Newman; “Thermal Modeling of the Lithium/Polymer Battery:Discharge Behavior of a Single Cell,” J. Electrochem. Soc. 1995 142(10): 3274-3281. doi:10.1149/1.2049974

75. *T. F. Fuller, M. Doyle, and J. Newman; “Simulation and Optimization of the Dual Lithium Ion Insertion Cell,” J. Electrochem. Soc. 1994 141(1): 1-10. doi:10.1149/1.2054684

76. *M. Doyle, T. F. Fuller, and J. Newman; “Modeling of Galvanostatic Charge and Discharge of the Lithium/Polymer/Insertion Cell,” J. Electrochem. Soc. 1993 140(6): 1526-1533. doi:10.1149/1.2221597